

CHISEL

MORTISING, SLOT MILLING OR BREAKING THROUGH



Chisel RS self sharpening	41
Point chisel	42
Flat chisel	42
Spade chisel	43
Hollow chisel	43
Chisel with channel and glides	44
Tile chisel	44


CHISEL

Concrete, brick work, asphalt or natural stone - with our percussion drilling tools we always offer the perfect solution - also for the most difficult chisel applications.




CHISEL

The chisel is made of shot peened and high quality tool steel. The different types are point chisel, flat chisel, spade chisel, hollow chisel, the uni-channel chisel and the tile chisel.




SDS-PLUS DRIVE

The SDS-plus drive is designed for light chisel working with optimum load transmission. The SDS-plus drive is also available as point chisel for drill machines without rotating shutdown.



SDS-MAX DRIVE

The SDS-max drive is designed for hard and continuous operation.




HEXAGONAL DRIVE

The drive is suitable for all percussion hammer with different hexagonal locking.

CHISEL RS SDS-PLUS UND SDS-MAX

| 500 | 501 | SELF SHARPENING

DRIVE



FOR USE IN



PACKAGING



SPECIALTIES







Advantages:

- Permanent sharper chisels
- Reduced wear
- No need to re-sharpen
- Continual high removal performance
- Economical working
- Long tool life
- High stability by means of technical improvements

Characteristics:







- Innovative geometries which make it easy to penetrate into the material to be removed
 - Point chisel with twisted profile
 - Flat chisel with power ribs and bars
 - Spade and scraping chisel with constantly slim surface and strengthening ribs on the sides
- Shot peened and hardened high quality and wear-resistant tool steel



SDS-PLUS / HILTI TE-C

						
Point chisel	250				916434	500 000 250
Flat chisel	250		20		916458	500 120 250
Spade chisel	250		40		916472	500 240 250
Scraping chisel	250		60		916489	500 260 250




SDS-MAX / HILTI TE-Y

						
Point chisel	400				916441	501 000 400
Flat chisel	400		25		916465	501 125 400
Spade chisel	400		80		916496	501 280 400



SDS-PLUS / HILTI TE-C

- For use in heavy drill and hammer machines
- For light chiselwork at renovation and restoration



SDS-MAX / HILTI TE-Y

- For use in heavy drill and hammer machines
- Suitable for especially heavy and continuous operation
- For mortising and demolition work, breakthroughs, renovation and restoration

SPADE CHISEL


EXECUTION

- Made of high-quality tool steel, shot-peened and hardened

FOR USE IN



PACKAGING



HOLLOW CHISEL


EXECUTION













- Made of high-quality tool steel, shot-peened and hardened

FOR USE IN



PACKAGING



DRIVE				L1 mm	B mm		
							
						12345	4016707...
		SDS-plus HILTI TE-C		140 250	30 40	502 230 140 502 240 250	260278 260148
		SDS-max HILTI TE-Y		300 400	80 50	503 280 300 503 250 400	260070 260087
		Bosch GSH27, USH27, HSH28		400	80	505 228 400	266034
SW 28							
		Makita HM1300, HM1303, HM1304, HM 1400, HM1500, 8900N - HITACHI H65SB, H70SA		400	75	509 230 400	266126
SW 30	Ø 24 x 55 mm						



DRIVE			L1 mm	B mm			
		SDS-plus HILTI TE-C		250	22	502 322 250	260155
				300	26	503 326 300	260094
		SDS-max HILTI TE-Y					

CHISEL WITH CHANNEL AND GLIDES














EXECUTION


- Made of high-quality tool steel, shot-peened and hardened

FOR USE IN



DRIVE							
		SDS-plus HILTI TE-C		250	22	502 422 250	260179
		SDS-max HILTI TE-Y		380	35	503 435 380	260186

PACKAGING



TILE CHISEL














EXECUTION

- Made of high-quality tool steel, shot-peened and hardened

FOR USE IN



DRIVE							
		SDS-plus HILTI TE-C		200	40	502 540 200	260162
		SDS-max HILTI TE-Y		300	50	503 550 300	260193

PACKAGING

